

## PRODUCT INTRODUCTION


N58 is a square track light designed for applying in a wide variety of setting around the home, villa or commercial setors like retail or art space like gallery. Besides magnetically connected to the electrified track, it is also available with 3-phase track or ceiling mounting. The sleek track light offers a full range of lighting distribution: round, oval, wallwash and gives great flexibility for different lighting design.

## SPECIFICATION


Wattage : 5W / 7W  
 Color temperature : 2700K / 3000K / 4000K  
 CRI : Ra97 (R9>90)  
 Beam angle :  
 Round distribution : 25° / 36° / 60° / 80°  
 Oval distribution : 50 x 30° / 20 x 60°  
 Wallwash distribution : 50x30° Asymmetric 25°  
 Driver : DC48V  
 Dimming : 0/1-10V , DALI , TRIAC , CASAMBI

## FEATURES

Product surface color : Black, White, Custom  
 Bracket rotatable through 365° on adaptor, 90° tilt  
 Mounting: Magnetic track  
 Protection degree : IP20 (En60598)  
 Energy efficiency: EEIA



## Radial distribution & Conical illuminance









D Distance To Fix From Wall or Floor

LX Initial illuminance Level At Center of Beam

L Beam Length(where candlepower drops to 50% of maximum)

W Beam Width(where candlepower drops to 50% of maximum)

## Radial distribution & Conical illuminance



## Lighting effect



## Specifications

Model No.	Total Power (W)	LED Power (W)	Voltage	CRI (Ra)	Color Temp (K)	LED Flux (lm)	Beam Angle	IP Grade
N58	5	4.5	AC220-240V	97	2700	390	Round : 25° / 36° / 60° / 80° Oval : 50*30° / 20*60° Wallwash: 50*30° Asymmetric 25°	IP20
					3000	420		
					4000	430		
N58	7	6.3			2700	506		
					3000	548		
					4000	562		

· Thermally stable typical lumens (±10%)

## Package information

Model No.	Packaging/Unit	Pieces/Unit	Dimensions (L x W x H)	Gross Weight	Volume
N58	Inner box	1	110x110x100mm	0.90kg	1.21dm <sup>3</sup>
	Outer box	40	580x470x230mm	20.00kg	62.70dm <sup>3</sup>

## Compatible accessories



Color coated lens